

**وحدة عدم انقطاع التيار الكهربائي  
SUINT1000RTXL2U**



- 1 : True On Line Double Conversion – 1000VA/ 800W
- 2 :
- (EMI/RFI FILTER – Surge
- Suppression) .IEEE 587 / ANSI C62.41
- 130 ) 160 V → 275 V :
- (%70
- .50 / 60
- 47 HZ → 53 HZ :
- 0.99

: **-3**

.(FILTER) -

220 V ± 2% : -

. 50/60 ± 0.05 HZ :(free running) -

PURE SINE WAVE -

: **-4**

UPS -

. % 90 4 - 2 -

: **-5**

/ (Inverter) (ByPass) -

(Rectifier/Charger)

: **-6**

" Automatic By- Pass -

UPS

8 ( )

: **-7**

:

15° → 25°C

-

40° C 0° C

-

0% → 95%

-

: **-8**

Sealed Lead Acid ( )

-

( ) 6 3

-

500 18 . . 1 6

-

67 . . 1 32

-

BP36V14-2U

-

. . 500

-

: **-9**

-

-

Power .( RS232 ) :

.SNMP Alert -

EPO -

( ) 19 -

. 2U -

6 :

:

Tel: +218 21 4448630  
 Fax: +218 21 4448612  
 Email [Info@almohiet.net](mailto:Info@almohiet.net)